

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|--------|-------------------------|--|---------------------|
| 1 | BRS | L1 | 76680 | 439/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:00 |
| 2 | BRS | L2 | 94344 | 361/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:00 |
| 3 | BRS | L3 | 165209 | 1 or 2 | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:00 |
| 4 | BRS | L4 | 25815 | 3 and layers | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:01 |
| 5 | BRS | L5 | 12225 | 4 and (heat or thermal) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:01 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|----------------------------------|--|---------------------|
| 6 | BRS | L6 | 9164 | 5 and contact | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:02 |
| 7 | BRS | L7 | 6483 | 6 and plurality | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:02 |
| 8 | BRS | L8 | 4455 | 7 and (insulating or dielectric) | USPAT, US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:03 |
| 9 | BRS | L9 | 3087 | 8 and (holes or apertures) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:04 |
| 10 | BRS | L10 | 1323 | 9 and (liner or plated) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:05 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|--|---------------------|
| 11 | BRS | L11 | 1225 | 10 and (PCB or board or substrate) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:06 |
| 12 | BRS | L12 | 1161 | 11 and electrical | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:06 |
| 13 | BRS | L13 | 1149 | 12 and (conduct\$3 or dissipat\$3) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:07 |
| 14 | BRS | L14 | 1151 | 12 and (conduct\$3 or dissipat\$3 or spread\$3) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:08 |
| 15 | BRS | L15 | 727 | 12 and ((heat or thermal) with (conduct\$3 or dissipat\$3 or spread\$3)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2002/12/13 12:09 |